

Substance Misuse (Drugs & Alcohol) Policy December 2020

Currently under review

INTRODUCTION

In 2009 the DfE updated its guidance to schools about drugs. This sets out the statutory position on drug education in schools and supports schools in:

- developing, implementing and reviewing a comprehensive and effective drug education programme for all students
- developing, implementing and reviewing the school drug policy
- managing drug incidents in the school community and supporting the personal, social and health needs of all students with regard to drugs.

TERMINOLOGY

The term 'drugs' is used throughout this policy to refer to all drugs.

- all illegal drugs (those controlled by the Misuse of Drugs Act 1971).
- all legal drugs, including alcohol and tobacco, and also volatile substances (those giving off a gas or vapour which can be inhaled).
- all medicines, whether over-the-counter or on prescription
- legal substances that affect behaviour

Programmes should be school-led, taking into account the views of the students: external contributors such as the Bexley Young People's Substance Misuse Strategy*, police, health workers, charities and theatre groups can be used if they can add value.

AIMS

The aims of this policy are to:

- clarify Cleeve Park School's approach to drugs, for staff, students, governors, parents or carers
- to clarify the legal requirements and responsibilities
- reinforce and safeguard the health and safety of students and others who use the school
- give guidance on developing, implementing and monitoring the drug education programme
- enable staff to manage drugs on Cleeve Park School premises, and any drug related incidents that occur with confidence and consistency, and in the best interests of those involved
- ensure that the response to incidents involving drugs complements the overall approach to drug education and the values and ethos of the school.

DRUGS EDUCATION

At Cleeve Park School, we aim to follow the statutory requirements for Key Stages 3 & 4 in PSHE (Personal, Social and Health Education) and Science.

- objectives of drug education.
- build on knowledge and understanding.
- provide accurate information, and clear up misunderstanding.
- explore attitudes and values, and examine the risks and consequences of actions relating to drugs.
- develop students' interpersonal skills, their understanding of rules and laws, their self–awareness and self-esteem.
- ensure that all children are taught about drugs in a consistent manner, following guidelines that have been agreed by parents, governors and staff.

RESPONSIBILITIES

- The role of the Executive Head Teacher is to:
- ensure that parents have access to this Substance Misuse Policy and that staff and governors are involved in its development and regular review
- ensure that the policy is implemented effectively
- ensure that drug related incidents are managed effectively

- ensure that staff have up to date information (and training where appropriate) so that they
 can teach effectively about drugs and handle any difficult issues with sensitivity and
 confidence
- ensure that staff have access to information on children who have specific medical conditions
- allow opportunities for liaison with external agencies including the Bexley Young People's Substance Misuse Strategy regarding the school drug education programme
- monitor the policy and report to governors, when requested on the effectiveness of the policy
- ensure that relevant concerns and information are provided to appropriate agencies and forums as necessary e.g. case conferences, CAFs (Common Assessment Form)
- consult, as appropriate, with relevant agencies on the management of drugs related incidents
- provide a range of ways for students, staff and parents to report their concerns and develop a school ethos which encourages the reporting of incidents

The role of the Governing Body is to:

- monitor the effectiveness of the policy and its regular review
- receive reports from the Executive Head Teacher regarding the management of drug related incidents
- support the Executive Head Teacher in complaints procedures, or in appeals against exclusions

The role of the teachers is to:

- deliver the programme of PSHE and drugs education as set out by the school and any national programmes
- follow this policy and have access to information on children who have specific medical conditions
- liaise with the Senior Leaders to manage drug related incidents
- keep up to date with current initiatives and training and know where and how to access help, support and share good practice
- bring any concerns relating to drugs to the attention of senior leaders
- answer any questions parents may have about the drugs education their child receives in school

The role of parents / carers is to:

- work in partnership with the school in supporting their child's drug education;
 - o inform the school about any medication needs with the child's name, class and how it is to be administered, providing medication in a suitable container
 - o work in partnership with the nurse attached to the school to construct an up to date care plan as appropriate
 - keep the school informed of any changes in the child's condition, health, circumstances or lifestyle.

DRUGS KEPT AT SCHOOL

Prescription Medicines

• Where clinically possible, medicines should be prescribed in dose frequencies which enable them to be taken outside school hours. Where this is unavoidable the school should only accept prescribed medicines that are in-date, and provided in the original container as dispensed by a pharmacist including the pharmacy label and logo specifying the student's name, instructions for administration, dosage and storage. The exception to this is insulin which must still be in date, but will generally be available inside an insulin pump / pen, rather than in its storage container.

- The school will only administer medication in strict accordance with the prescriber's specific instructions included on the pharmacy label and will not accept any verbal or written amendments from other parties, including parents. All medicines and devices (such as asthma inhalers, blood glucose testing meters and adrenaline pens) should be stored safely in a lockable cabinet in the school office, or if indicated on the prescription label, in the school office medical fridge. The keys to the cabinet and medical fridge are kept in the combination safe in the office.
- No student under 16 should be given prescription medicines without the parent's written
 consent except in exceptional circumstances where the medicine has been prescribed to the
 child without the knowledge of the parents.
- Staff administering medicines should ensure that they are giving the medication to the correct child and that they are administering the medicine in accordance with the prescriber's instructions. Staff should also check that the medication is in date. The administration of prescription medication may be carried out by nominated staff.
- Medication for pain relief should never be administered without first checking maximum dosages, and when the previous dose was taken, with the child's parent.
- A record should be kept of all medicines administered to individual children, stating what, how and how much was administered, when and by whom. Following administration, records should also be updated to reflect the amount of medication held by the school. Any side effects of the medication to be administered at school should be noted on the parental consent form.
- When no longer required, medicines should be collected by the parent to arrange for safe disposal. Medication which is out-of-date or no longer required, which is not collected by parents, will be disposed of at a local pharmacy.
- Students who are deemed competent to manage their own health needs and medicines, after discussion with parents, will be allowed to carry their own inhalers, adrenaline pens and insulin and relevant devices or will be allowed to access their medicines for selfmedication.

Controlled Drugs

- In addition, in the case of prescribed schedule 2 controlled drugs, these must be delivered to nominated staff in person by parents and should only be provided in restricted quantities, equating to the dosage required for a maximum of half a term.
- Controlled drugs should be entered in the school controlled drug register with medication received from parents counted in by the designated member of staff and the parent and recorded and signed for in the register.
- Schedule 2 controlled drugs are kept in a separate non-portable locked cupboard inside the main drugs cupboard.
- The controlled drugs register must be completed by the designated members of staff and a
 witness each time controlled drugs have been administered to show the remaining balance.
 In addition, a separate weekly check is carried out to check stock numbers against the
 controlled drugs register.
- Controlled drugs should not be held on school premises during school holiday periods and parents are required to collect any remaining controlled drugs before the end of each term.
 Parents will need to sign the entry in the controlled drugs register confirming the quantity of medication collected.
- Any controlled drugs which have not been collected by parents may be disposed of at a local pharmacy with the register signed by the pharmacist to confirm receipt.

Non-prescription medication

Non-prescription medicines should not be administered by school staff. Where appropriate, parents may allow their child to carry a single dose for self-medication, should this be required during the

school day. Parents should, however, be aware that the school will not monitor the carrying or administration of this medicine.

Emergency salbutamol (asthma reliever) inhalers

- From 1st October 2014 the Human Medicines (Amendment) (No.2) Regulations 2014 allows schools to buy salbutamol inhalers without a prescription, for use in emergencies. The inhalers can be used by students whose prescribed inhaler is not available (for example, because it is broken or empty) and who are included on the school's asthma register.
- The school keeps an emergency asthma inhaler kit in the school office, containing salbutamol metered dose inhalers, single-use plastic spacers and a copy of the school's asthma register. Identical kits are also kept in the office and are available to staff for off-site trips and extracurricular activities involving students on the school's asthma register and for emergency evacuations.
- The emergency inhalers and spacers should be stored separately from any child's personal inhaler and the emergency inhalers should be clearly labelled to avoid confusion with a child's own inhaler.
- When an emergency inhaler is to be used, staff should ensure that the student is included on the school's asthma register. The asthma register should be maintained on the desktop, with an up-to-date paper copy kept in the school's emergency asthma inhaler kits.
- Students should only be included on the school's asthma register where a written consent form/healthcare plan has been completed and returned to school by a parent, providing consent to the use of an emergency inhaler and confirming that the child has been diagnosed with asthma and been prescribed an inhaler, or has been prescribed a reliever inhaler. Parents also need to confirm that their child has no known allergy to salbutamol and that there are no contraindications for the administration of salbutamol with any other medication which the student is taking. Consent forms should be updated regularly, ideally annually, to take account of changes to a child's condition.
- Use of the emergency inhalers should be recorded, including when the attack took place, how much medication was given, and by whom.
- Following use, parents should be informed in writing.
- To avoid possible risk of cross-infection, a new inhaler should be used for each individual student this will then be labelled and stored in the office for future personal use.
- Spent inhalers should be returned to a pharmacy for disposal.

Emergency Adrenaline Auto-Injectors (AAIs)

- From 1 October 2017 the Human Medicines (Amendment) Regulations 2017 allows all schools to buy AAIs without a prescription, for emergency use in children who are at risk of severe allergic reaction (anaphylaxis) but whose own device is not available or not working and who are included on the school's allergy register.
- The school keeps an emergency anaphylaxis kit in the school office along with identical kits
 which are available to staff for off-site trips, extracurricular activities and for emergency
 evacuations.
- Students will only be included on the school's allergy register if they are at risk of
 anaphylaxis and where both medical authorisation and written parental consent for the use
 of the spare AAI has been provided via a completed British Society for Allergy & Clinical
 Immunology (BSACI) Allergy Action Plan. In providing their consent, parents are agreeing to
 the school administering the spare emergency AAI, which may be a different brand to the
 personal AAI prescribed for the student. The allergy register should be available to all staff

- via a shortcut on the desktop, with an up-to-date paper copy kept in the school's emergency anaphylaxis kits.
- AAIs administered by staff will be administered through clothes into the upper outer thigh in line with the instructions provided by the manufacturers. If a student appears to be having a severe allergic reaction staff will call 999 even if the student has already used their own AAI, or the school's spare AAI. If the student's condition deteriorates and a second dose of adrenaline is administered after making the initial 999 call, a second 999 call should be made to confirm that an ambulance has been dispatched. The times that the AAIs were given should be noted and this information should be passed to the ambulance paramedics on arrival.
- A record should be kept of any AAIs administered in school, stating whether this was the school's spare AAI or the student's own device, and parents should be informed.
- In the event of a possible allergic reaction in a student who does not meet the above criteria, emergency services should be contacted and advice sought from them as to whether administration of the spare emergency AAI is appropriate.

APPENDIX 1

Useful contacts and resources

www.talktofrank.com

bexley.gov.uk royalgreenwich.gov.uk lewisham.gov.uk bromley.gov.uk

APPENDIX 2

List of some known substances with their short term and long term effects. This list is not exhaustive and further information can be found on www.talktofrank.com

NAME OF SUBSTANCE	SHORT TERM EFFECTS	LONG TERM EFFECTS
Cannabis: weed, blow, grass,	Apathy, lethargy, red eyes, dry	Memory loss
dope, spliff, joint, hash,	mouth, poor concentration,	Cancer of lung, digestive tract,
hashish, red, black, solid, skunk,	irritable, possible dizziness,	throat and tongue
Jamaican, Moroccan, green	poor coordination.	Bronchitis
	Short term memory loss	Psychological addiction
	Hunger (Munchies)	Paranoia
	Relaxed, friendly, giggly,	
	talkative	
	May vomit	
	May cause aggression	
Magic Mushrooms	'Spaced out', relaxed	Dependency
	Hallucinations	Paranoia
	Colour and sound may be	Stomach issues
	distorted	
	Nausea, stomach pains,	
	diarrhoea	
Cocaine: Charlie, snow, white	Aroused, exhilaration – state of	Psychological addiction
powder, snort, coke	happiness and well being	Respiratory problems
	Decrease in appetite	Can be fatal
	Indifference to pain	Depression
	Tiredness	Restlessness / confusion
	Talkative, confident	Paranoia, anxiety, agitation
	Coming down – headache	
Amphetamines: speed, sulph,	Increase in heart rate	Blackouts
whiz, uppers, sweets	Increased confidence	Paranoia
	Euphoria, insomnia	Depression
	Irritability, lack of	Dependency
	concentration	
	Anxiety	
	Dizziness	
	Can last several hours	
Glue, solvents, gas	Similar to being drunk	Blackouts
	Feeling happy / lacking	Fatal heart problems
	inhibitions	Flooding of lungs
	Euphoria , hallucinations,	
	hangover	

	Tiredness – lack of	
	concentration	
	Nausea, thick headed, dizzy	
	Aggression	
L.S.D micro, dots, transfers	Disorientated	Paranoia
	Sometimes takes half an hour	Altered mind
	to kick in	Dependency
	Distressed	Psychological issues
	Good / bad trips	
	Anxious	
	Alters mind perceptions	
Ecstasy: E, tabs	Alert	Increased heart rate
	Things seem more intense	Depression
	Feel in tune with people	Change in body temperature
	Feel very tired next day –	
	unable to settle	

APPENDIX 3 Drugs and Sanctions in School

Repeat offenders, selling or supplying drugs to	Permanent Exclusion	
others	Police to be contacted (Head's discretion)	
First offence of selling or supplying drugs to	Fixed Term Exclusion / Permanent Exclusion	
others	considered	
	Police may be contacted (Head's discretion)	
Smoking tobacco	Smoking sanctions according to behaviour policy	
	Those who continue to ignore the school policy	
	on smoking face a fixed term exclusion	
	Those students caught with smokers face similar	
	sanctions	
	Any students caught selling tobacco products	
	face a fixed term exclusion	
Drinking / selling / bringing in alcohol	Use of fixed term exclusion for those consuming	
	alcohol or bringing it into school	
	Parents / carers to be informed and asked to	
	come in for a meeting	
	Review of student's progress to see if this is part	
	of a wider picture	
	Discretionary use of outside agencies	
	Police may be contacted (Head's discretion)	

APPENDIX 4

Specific Substance Misuse

Tobacco / cigarettes / legal highs / laughing gas

Students are not permitted to smoke anywhere on the school site, including at the school gates and local bus stops. They cannot have any smoking paraphernalia e.g. lighter, Rizla type papers and ecigarettes. Those who act as 'look outs' or who are caught with smokers will be considered guilty by association. Legal highs / laughing gas are banned from the school site.

Reasons

- Need to promote a healthy school
- Protect younger / vulnerable students
- Safety most smoking takes place in out of bounds area, therefore students may be at risk

<u>Alcohol</u>

Students are not permitted alcohol on the school site at any time. Any student suspected of drinking alcohol will be asked to agree to a search (see Screening and Searching Policy, April 2013). Where

students may be suspected of drinking, they will be taken to a safe room (medical room if available) and parents / carers contacted. A first aider will assess whether immediate medical attention is required. Any member of staff who suspect someone of drinking should contact a Safeguarding Officer or a member of SLT.

Reasons

- Need to promote a healthy school
- Protect younger / vulnerable students
- Risk to individual of serious harm related to alcohol
- Removal from classroom as a result of unpredictable behaviour resulting from alcohol consumption

APPENDIX 5

Emergency procedures for a student thought to be under the influence of drugs or alcohol

The procedures for an emergency apply when a child or young person is at immediate risk of harm. Any person who is unconscious, having trouble breathing, seriously confused, disorientated or who is known to have taken a harmful toxic substance, should be responded to as an emergency.

Your main responsibility is for the student at immediate risk, but you also need to ensure the wellbeing and safety of others.

- > Assess the situation
- If a medical emergency, send another person for help to the main office, giving information if an ambulance is needed.

If the person is conscious:

- > Ask the person what has happened and to identify any substance they may have taken
- Collect any drug sample and any vomit for medical analysis
- > **DO NOT** induce vomiting
- Keep the person under observation, warm and quiet

If the person is unconscious:

- Ensure that they can breathe and place into recovery position
- **DO NOT** move the person if a fall is likely to have led to spinal or other serious injury which may not be obvious
- **DO NOT** give anything by mouth
- **DO NOT** attempt to make the person sit or stand
- **DO NOT** leave the person unattended or in the charge of another student

When medical help arrives, please pass on any information that you have including samples of vomit or the drugs that the person may have taken.